

Adiabatic superconducting artificial neural network: Basic cells

Soloviev I., Schegolev A., Klenov N., Bakurskiy S., Kupriyanov M., Tereshonok M., Shadrin A., Stolyarov V., Golubov A.

Kazan Federal University, 420008, Kremlevskaya 18, Kazan, Russia

Abstract

© 2018 Author(s). We consider adiabatic superconducting cells operating as an artificial neuron and synapse of a multilayer perceptron (MLP). Their compact circuits contain just one and two Josephson junctions, respectively. While the signal is represented as magnetic flux, the proposed cells are inherently nonlinear and close-to-linear magnetic flux transformers. The neuron is capable of providing the one-shot calculation of sigmoid and hyperbolic tangent activation functions most commonly used in MLP. The synapse features both positive and negative signal transfer coefficients in the range $\sim (-0.5, 0.5)$. We briefly discuss implementation issues and further steps toward the multilayer adiabatic superconducting artificial neural network, which promises to be a compact and the most energy-efficient implementation of MLP.

<http://dx.doi.org/10.1063/1.5042147>

References

- [1] I. I. Soloviev, N. V. Klenov, S. V. Bakurskiy, M. Y. Kupriyanov, A. L. Gudkov, and A. S. Sidorenko, *Beilstein J. Nanotechnol.* 8, 2689 (2017). 10.3762/bjnano.8.269
- [2] R. Landauer, *IBM J. Res. Dev.* 5, 183 (1961). 10.1147/rd.53.0183
- [3] N. Takeuchi, Y. Yamanashi, and N. Yoshikawa, *Sci. Rep.* 4, 6354 (2014). 10.1038/srep06354
- [4] Y. Harada and E. Goto, *IEEE Trans. Magn.* 27, 2863 (1991). 10.1109/20.133806
- [5] M. Hidaka and L. A. Akers, *Supercond. Sci. Technol.* 4, 654 (1991). 10.1088/0953-2048/4/11/027
- [6] Y. Mizugaki, K. Nakajima, Y. Sawada, and T. Yamashita, *Appl. Phys. Lett.* 62, 762 (1993). 10.1063/1.108571
- [7] Y. Mizugaki, K. Nakajima, Y. Sawada, and T. Yamashita, *IEEE Trans. Appl. Supercond.* 4, 1 (1994). 10.1109/77.273058
- [8] P. Crotty, D. Schult, and K. Segall, *Phys. Rev. E* 82, 011914 (2010). 10.1103/PhysRevE.82.011914
- [9] Y. Yamanashi, K. Umeda, and N. Yoshikawa, *IEEE Trans. Appl. Supercond.* 23, 1701004 (2013). 10.1109/TASC.2012.2228531
- [10] F. Chiarello, P. Carelli, M. G. Castellano, and G. Torrioli, *Supercond. Sci. Technol.* 26, 125009 (2013). 10.1088/0953-2048/26/12/125009
- [11] J. M. Shainline, S. M. Buckley, R. P. Mirin, and S. W. Nam, *Phys. Rev. Appl.* 7, 034013 (2017). 10.1103/PhysRevApplied.7.034013
- [12] M. L. Schneider, C. A. Donnelly, S. E. Russek, B. Baek, M. R. Pufall, P. F. Hopkins, P. D. Dresselhaus, S. P. Benz, and W. H. Rippard, *Sci. Adv.* 4, e1701329 (2018). 10.1126/sciadv.1701329
- [13] A. E. Schegolev, N. V. Klenov, I. I. Soloviev, and M. V. Tereshonok, *Beilstein J. Nanotechnol.* 7, 1397 (2016). 10.3762/bjnano.7.130

- [14] N. V. Klenov, A. E. Schegolev, I. I. Soloviev, S. V. Bakurskiy, and M. V. Tereshonok, *IEEE Trans. Appl. Supercond.* 28, 1301006 (2018). 10.1109/TASC.2018.2836903
- [15] S. K. Tolpygo, V. Bolkhovsky, D. E. Oates, R. Rastogi, S. Zarr, A. L. Day, T. J. Weir, A. Wynn, and L. M. Johnson, *IEEE Trans. Appl. Supercond.* 28, 1100212 (2018). 10.1109/TASC.2018.2809442
- [16] K. K. Likharev, *Int. J. Theor. Phys.* 21, 311 (1982). 10.1007/BF01857733
- [17] V. V. Ryazanov, *Phys. Usp.* 42, 825 (1999). 10.1070/PU1999v042n08ABEH000600
- [18] A. A. Golubov, M. Y. Kupriyanov, and E. Il'ichev, *Rev. Mod. Phys.* 76, 411 (2004). 10.1103/RevModPhys.76.411
- [19] S. V. Bakurskiy, N. V. Klenov, I. I. Soloviev, M. Y. Kupriyanov, and A. A. Golubov, *Phys. Rev. B* 88, 144519 (2013). 10.1103/PhysRevB.88.144519
- [20] S. V. Bakurskiy, N. V. Klenov, I. I. Soloviev, V. V. Bolginov, V. V. Ryazanov, I. V. Vernik, O. A. Mukhanov, M. Y. Kupriyanov, and A. A. Golubov, *Appl. Phys. Lett.* 102, 192603 (2013). 10.1063/1.4805032
- [21] S. V. Bakurskiy, N. V. Klenov, I. I. Soloviev, M. Y. Kupriyanov, and A. A. Golubov, *Appl. Phys. Lett.* 108, 042602 (2016). 10.1063/1.4940440
- [22] S. V. Bakurskiy, V. I. Filippov, V. I. Ruzhickiy, N. V. Klenov, I. I. Soloviev, M. Y. Kupriyanov, and A. A. Golubov, *Phys. Rev. B* 95, 094522 (2017). 10.1103/PhysRevB.95.094522
- [23] I. I. Soloviev, N. V. Klenov, A. E. Schegolev, S. V. Bakurskiy, and M. Y. Kupriyanov, *Supercond. Sci. Technol.* 29, 094005 (2016). 10.1088/0953-2048/29/9/094005
- [24] L. V. Ginzburg, I. E. Batov, V. V. Bolginov, S. V. Egorov, V. I. Chichkov, A. E. Shchegolev, N. V. Klenov, I. I. Soloviev, S. V. Bakurskiy, and M. Y. Kupriyanov, *JETP Lett.* 107, 48 (2018). 10.1134/S0021364018010058
- [25] N. Takeuchi, Y. Yamanashi, and N. Yoshikawa, *Supercond. Sci. Technol.* 28, 015003 (2015). 10.1088/0953-2048/28/1/015003
- [26] N. Takeuchi, D. Ozawa, Y. Yamanashi, and N. Yoshikawa, *Supercond. Sci. Technol.* 26, 035010 (2013). 10.1088/0953-2048/26/3/035010
- [27] R. Caruso, D. Massarotti, V. V. Bolginov, A. Ben Hamida, L. N. Karelina, A. Miano, I. V. Vernik, F. Tafuri, V. V. Ryazanov, O. A. Mukhanov, and G. P. Pepe, *J. Appl. Phys.* 123, 133901 (2018). 10.1063/1.5018854
- [28] N. K. Katam, O. A. Mukhanov, and M. Pedram, *IEEE Trans. Appl. Supercond.* 28, 1300212 (2018). 10.1109/TASC.2018.2797262
- [29] S. V. Bakurskiy, N. V. Klenov, I. I. Soloviev, N. G. Pugach, M. Y. Kupriyanov, and A. A. Golubov, *Appl. Phys. Lett.* 113, 082602 (2018). 10.1063/1.5045490
- [30] I. I. Soloviev, N. V. Klenov, S. V. Bakurskiy, V. V. Bolginov, V. V. Ryazanov, M. Y. Kupriyanov, and A. A. Golubov, *Appl. Phys. Lett.* 105, 242601 (2014). 10.1063/1.4904012